


Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-09-30	6
2020-10-01	13.06
2020-10-02	7.22
2020-10-03	8
2020-10-04	4.55
2020-10-05	4.44
2020-10-06	5.24
2020-10-07	9.79
2020-10-08	14.31
2020-10-09	10.85
2020-10-10	12.75
2020-10-11	10.85
2020-10-12	11.01
2020-10-13	2.3
2020-10-14	3.8
2020-10-15	14.75
2020-10-16	18.62
2020-10-17	10.31
2020-10-18	10.66
2020-10-19	10.27
2020-10-20	18.39
2020-10-21	13.26
2020-10-22	16.11
2020-10-23	23.96
2020-10-24	21.67
2020-10-25	18.12
2020-10-26	15.88
2020-10-27	21.55
2020-10-28	26.6
2020-10-29	12.88
2020-10-30	9.27



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-10-31	31.54
2020-11-01	20.78
2020-11-02	24.59
2020-11-03	15.23
2020-11-04	18.43
2020-11-05	12.17
2020-11-06	10.94
2020-11-07	13.45
2020-11-08	20.55
2020-11-09	23.43
2020-11-10	16.94
2020-11-11	18.85
2020-11-12	22.38
2020-11-13	28.17
2020-11-14	31.2
2020-11-15	26.2
2020-11-16	18.07
2020-11-17	23.21
2020-11-18	27.41
2020-11-19	13.22
2020-11-20	11.48
2020-11-21	23.78
2020-11-22	14.31
2020-11-23	19.38
2020-11-24	10.04
2020-11-25	29.85
2020-11-26	41.06
2020-11-27	30.05
2020-11-28	21.73
2020-11-29	21.63
2020-11-30	29.68

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-12-01	32.34
2020-12-02	24.26
2020-12-03	29.93
2020-12-04	23.9
2020-12-05	18.23
2020-12-06	14.78
2020-12-07	11.8
2020-12-08	16.36
2020-12-09	22.43
2020-12-10	22.73
2020-12-11	24.53
2020-12-12	13.93
2020-12-13	14.08
2020-12-14	22.1
2020-12-15	26.59
2020-12-16	28.42
2020-12-17	38.99
2020-12-18	31.72
2020-12-19	27.23
2020-12-20	25.78
2020-12-21	29.15
2020-12-22	21.83
2020-12-23	16.23
2020-12-24	12.85
2020-12-25	7.43
2020-12-26	11.71
2020-12-27	16.51
2020-12-28	10.38
2020-12-29	7.05
2020-12-30	30.31
2020-12-31	20.75

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-01-01	21.47
2021-01-02	47.16
2021-01-03	39.99
2021-01-04	32.67
2021-01-05	7.01
2021-01-06	21.64
2021-01-07	25.54
2021-01-08	32.81
2021-01-09	25.27
2021-01-10	20.7
2021-01-11	29.74
2021-01-12	30.43
2021-01-13	15.34
2021-01-14	29.94
2021-01-15	18.15
2021-01-16	21.26
2021-01-17	35.27
2021-01-18	49.54
2021-01-19	53.39
2021-01-20	26.86
2021-01-21	20.15
2021-01-22	11.37
2021-01-23	22.32
2021-01-24	20.05
2021-01-25	27.5
2021-01-26	18.69
2021-01-27	16.34
2021-01-28	26.18
2021-01-29	27.67
2021-01-30	41
2021-01-31	30.65

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-02-01	38.49
2021-02-02	39.68
2021-02-03	27
2021-02-04	11.89
2021-02-05	15.26
2021-02-06	24.93
2021-02-07	10
2021-02-08	12.46
2021-02-09	35.31
2021-02-10	60.79
2021-02-11	36.88
2021-02-12	19.83
2021-02-13	23.33
2021-02-14	23.89
2021-02-15	33.89
2021-02-16	38.62
2021-02-17	49.2
2021-02-18	42.96
2021-02-19	42.69
2021-02-20	31.02
2021-02-21	26.01
2021-02-22	34.31
2021-02-23	38.31
2021-02-24	27.97
2021-02-25	23.86
2021-02-26	18.66
2021-02-27	8.29
2021-02-28	17.99
2021-03-01	22.96
2021-03-02	20.81
2021-03-03	43.76

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-03-04	34.83
2021-03-05	11.62
2021-03-06	11.65
2021-03-07	14.49
2021-03-08	10.93
2021-03-09	19.72
2021-03-10	29.24
2021-03-11	25.27
2021-03-12	17.24
2021-03-13	9.72
2021-03-14	4.9
2021-03-15	18.49
2021-03-16	27.44
2021-03-17	21.62
2021-03-18	21.03
2021-03-19	16.08
2021-03-20	12.87
2021-03-21	23.29
2021-03-22	9.93
2021-03-23	14.53
2021-03-24	26.87
2021-03-25	37.27
2021-03-26	36.6
2021-03-27	21.53
2021-03-28	8.33
2021-03-29	15.2
2021-03-30	27.46

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-09-30	12.88
2021-10-01	11.43
2021-10-02	9.68
2021-10-03	11.63
2021-10-04	11.44
2021-10-05	13.5
2021-10-06	9.71
2021-10-07	7.69
2021-10-08	11.69
2021-10-09	20.01
2021-10-10	23.63
2021-10-11	22.47
2021-10-12	10.71
2021-10-13	12.49
2021-10-14	10.12
2021-10-15	11.23
2021-10-16	6.72
2021-10-17	14.74
2021-10-18	11.17
2021-10-19	12.87
2021-10-20	5.94
2021-10-21	7.92
2021-10-22	2
2021-10-23	3.96
2021-10-24	16.86
2021-10-25	14.01
2021-10-26	19.19
2021-10-27	19.93
2021-10-28	22.55
2021-10-29	26.05
2021-10-30	15.72



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-10-31	14.29
2021-11-01	16.95
2021-11-02	30.48
2021-11-03	10.94
2021-11-04	4.63
2021-11-05	5.5
2021-11-06	8.57
2021-11-07	11.41
2021-11-08	7.73
2021-11-09	15.14
2021-11-10	17.38
2021-11-11	28.51
2021-11-12	23.56
2021-11-13	39.85
2021-11-14	21.64
2021-11-15	34.95
2021-11-16	34.8
2021-11-17	34.04
2021-11-18	11.43
2021-11-19	3.07
2021-11-20	4.59
2021-11-21	14.71
2021-11-22	23.53
2021-11-23	10.2
2021-11-24	16.4
2021-11-25	42.71
2021-11-26	55.8
2021-11-27	25.57
2021-11-28	58.67
2021-11-29	16.66
2021-11-30	13.86

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-12-01	25.21
2021-12-02	4.16
2021-12-03	6.9
2021-12-04	19.55
2021-12-05	48.62
2021-12-06	63.16
2021-12-07	48.12
2021-12-08	24.95
2021-12-09	29.09
2021-12-10	56.59
2021-12-11	93.17
2021-12-12	91.47
2021-12-13	51.82
2021-12-14	80.95
2021-12-15	37.71
2021-12-16	11.68
2021-12-17	5.05
2021-12-18	11.19
2021-12-19	3.7
2021-12-20	7.02
2021-12-21	13.09
2021-12-22	24.43
2021-12-23	32.87
2021-12-24	13.39
2021-12-25	16.61
2021-12-26	36.65
2021-12-27	37.26
2021-12-28	12.42
2021-12-29	28.3
2021-12-30	26.19
2021-12-31	2.78

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2022-01-01	4.94
2022-01-02	9.66
2022-01-03	3.81
2022-01-04	8.61
2022-01-05	9.33
2022-01-06	3.98
2022-01-07	14.91
2022-01-08	25.14
2022-01-09	36.8
2022-01-10	24.72
2022-01-11	38.41
2022-01-12	20.93
2022-01-13	11.9
2022-01-14	5.42
2022-01-15	12.67
2022-01-16	22.67
2022-01-17	5.18
2022-01-18	9.14
2022-01-19	16.8
2022-01-20	5.33
2022-01-21	5.62
2022-01-22	8.85
2022-01-23	31.33
2022-01-24	41.8

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



www.syngeos.pl

info@syngeos.pl


Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-09-30	10.06
2020-10-01	21.78
2020-10-02	12.01
2020-10-03	13.3
2020-10-04	7.55
2020-10-05	7.4
2020-10-06	8.75
2020-10-07	16.46
2020-10-08	23.86
2020-10-09	18.11
2020-10-10	21.27
2020-10-11	18.09
2020-10-12	18.39
2020-10-13	3.87
2020-10-14	6.3
2020-10-15	24.59
2020-10-16	31
2020-10-17	17.21
2020-10-18	17.86
2020-10-19	17.17
2020-10-20	30.69
2020-10-21	22.1
2020-10-22	26.83
2020-10-23	39.9
2020-10-24	36.15
2020-10-25	30.15
2020-10-26	26.52
2020-10-27	35.9
2020-10-28	44.33
2020-10-29	21.47
2020-10-30	15.51



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-10-31	52.65
2020-11-01	34.63
2020-11-02	40.99
2020-11-03	25.38
2020-11-04	30.74
2020-11-05	20.32
2020-11-06	18.27
2020-11-07	22.46
2020-11-08	34.25
2020-11-09	39.1
2020-11-10	28.29
2020-11-11	31.4
2020-11-12	37.3
2020-11-13	46.94
2020-11-14	52.02
2020-11-15	43.63
2020-11-16	30.08
2020-11-17	38.67
2020-11-18	45.67
2020-11-19	22.02
2020-11-20	19.17
2020-11-21	39.59
2020-11-22	23.86
2020-11-23	32.5
2020-11-24	16.76
2020-11-25	49.71
2020-11-26	68.43
2020-11-27	50.09
2020-11-28	36.19
2020-11-29	36.07
2020-11-30	49.47

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-12-01	53.9
2020-12-02	40.43
2020-12-03	49.89
2020-12-04	39.84
2020-12-05	30.29
2020-12-06	24.65
2020-12-07	19.67
2020-12-08	27.3
2020-12-09	37.36
2020-12-10	37.84
2020-12-11	40.82
2020-12-12	23.19
2020-12-13	23.45
2020-12-14	36.94
2020-12-15	44.31
2020-12-16	47.39
2020-12-17	65.05
2020-12-18	52.87
2020-12-19	45.38
2020-12-20	42.96
2020-12-21	48.57
2020-12-22	36.43
2020-12-23	27.02
2020-12-24	21.38
2020-12-25	12.45
2020-12-26	19.5
2020-12-27	27.53
2020-12-28	17.31
2020-12-29	11.79
2020-12-30	50.53
2020-12-31	34.55

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-01-01	35.75
2021-01-02	78.62
2021-01-03	66.62
2021-01-04	54.41
2021-01-05	11.64
2021-01-06	36.02
2021-01-07	42.63
2021-01-08	54.66
2021-01-09	42.09
2021-01-10	34.44
2021-01-11	49.57
2021-01-12	50.71
2021-01-13	25.57
2021-01-14	49.9
2021-01-15	30.24
2021-01-16	35.43
2021-01-17	59.33
2021-01-18	82.4
2021-01-19	90.59
2021-01-20	46.45
2021-01-21	35.39
2021-01-22	20.31
2021-01-23	39
2021-01-24	35.13
2021-01-25	47.2
2021-01-26	32.62
2021-01-27	28.91
2021-01-28	45.59
2021-01-29	47.04
2021-01-30	70.01
2021-01-31	51.93

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-02-01	65.66
2021-02-02	67.84
2021-02-03	47.22
2021-02-04	21.03
2021-02-05	26.64
2021-02-06	42.66
2021-02-07	17.73
2021-02-08	22.15
2021-02-09	61.21
2021-02-10	102.54
2021-02-11	63.52
2021-02-12	34.83
2021-02-13	40.31
2021-02-14	41.38
2021-02-15	58.22
2021-02-16	66.19
2021-02-17	83.91
2021-02-18	73.4
2021-02-19	72.31
2021-02-20	53.42
2021-02-21	45.02
2021-02-22	58.47
2021-02-23	64.88
2021-02-24	47.93
2021-02-25	40.72
2021-02-26	32.85
2021-02-27	14.74
2021-02-28	31.58
2021-03-01	40.12
2021-03-02	36.33
2021-03-03	75.21

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-03-04	59.78
2021-03-05	20.26
2021-03-06	20.54
2021-03-07	25.44
2021-03-08	18.95
2021-03-09	33.67
2021-03-10	50.03
2021-03-11	43.85
2021-03-12	30.56
2021-03-13	17.35
2021-03-14	8.76
2021-03-15	32.13
2021-03-16	47.42
2021-03-17	37.58
2021-03-18	35.99
2021-03-19	27.92
2021-03-20	22.34
2021-03-21	40.63
2021-03-22	17.27
2021-03-23	25.24
2021-03-24	46.79
2021-03-25	63.69
2021-03-26	62.85
2021-03-27	37.61
2021-03-28	14.73
2021-03-29	26.72
2021-03-30	48.12

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-09-30	22.79
2021-10-01	20.3
2021-10-02	17.28
2021-10-03	20.59
2021-10-04	20.32
2021-10-05	23.43
2021-10-06	17.21
2021-10-07	13.57
2021-10-08	20.63
2021-10-09	34.18
2021-10-10	40.84
2021-10-11	39.14
2021-10-12	19.1
2021-10-13	21.86
2021-10-14	17.85
2021-10-15	19.63
2021-10-16	11.97
2021-10-17	26.33
2021-10-18	19.81
2021-10-19	22.37
2021-10-20	10.57
2021-10-21	14.26
2021-10-22	3.63
2021-10-23	7.08
2021-10-24	28.77
2021-10-25	24.47
2021-10-26	33.49
2021-10-27	34.74
2021-10-28	38.97
2021-10-29	45.79
2021-10-30	27.5



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-10-31	25.04
2021-11-01	29.93
2021-11-02	53.15
2021-11-03	19.14
2021-11-04	8.26
2021-11-05	9.74
2021-11-06	15.13
2021-11-07	20.33
2021-11-08	13.89
2021-11-09	26.63
2021-11-10	30.14
2021-11-11	49.33
2021-11-12	41.13
2021-11-13	67.23
2021-11-14	37.71
2021-11-15	60.32
2021-11-16	60.18
2021-11-17	58.76
2021-11-18	20.02
2021-11-19	5.52
2021-11-20	7.19
2021-11-21	21.39
2021-11-22	30.21
2021-11-23	15.56
2021-11-24	23.07
2021-11-25	49.66
2021-11-26	60.23
2021-11-27	32.99
2021-11-28	61.95
2021-11-29	23.88
2021-11-30	20.14

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-12-01	32.42
2021-12-02	6.85
2021-12-03	10.87
2021-12-04	26.6
2021-12-05	54.36
2021-12-06	64.61
2021-12-07	54.29
2021-12-08	33.05
2021-12-09	36.95
2021-12-10	59.97
2021-12-11	85.67
2021-12-12	85.15
2021-12-13	55.09
2021-12-14	75.73
2021-12-15	44.06
2021-12-16	20.89
2021-12-17	9.16
2021-12-18	19.93
2021-12-19	6.64
2021-12-20	12.23
2021-12-21	22.45
2021-12-22	42.43
2021-12-23	55.92
2021-12-24	24.14
2021-12-25	28.87
2021-12-26	60.97
2021-12-27	64.27
2021-12-28	21.78
2021-12-29	48.27
2021-12-30	45.4
2021-12-31	4.94

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Sadek PSP, Sadek 170 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2022-01-01	9.18
2022-01-02	17.23
2022-01-03	6.79
2022-01-04	15.3
2022-01-05	16.44
2022-01-06	7.1
2022-01-07	27.09
2022-01-08	43.47
2022-01-09	62.79
2022-01-10	44.02
2022-01-11	65.75
2022-01-12	37.14
2022-01-13	20.84
2022-01-14	9.72
2022-01-15	22.85
2022-01-16	39.28
2022-01-17	9.42
2022-01-18	15.99
2022-01-19	29.41
2022-01-20	9.57
2022-01-21	9.99
2022-01-22	15.44
2022-01-23	51.05
2022-01-24	70.41

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



www.syngeos.pl

info@syngeos.pl