


Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-09-30	9.31
2020-10-01	18.02
2020-10-02	8.49
2020-10-03	7.77
2020-10-04	4.48
2020-10-05	4.67
2020-10-06	7.5
2020-10-07	14.28
2020-10-08	18.32
2020-10-09	14.67
2020-10-10	14.26
2020-10-11	14.15
2020-10-12	9.19
2020-10-13	4.54
2020-10-14	9.35
2020-10-15	16.51
2020-10-16	27.28
2020-10-17	11.63
2020-10-18	9.17
2020-10-19	11.32
2020-10-20	20.62
2020-10-21	16.29
2020-10-22	18.75
2020-10-23	25.18
2020-10-24	23.67
2020-10-25	21.15
2020-10-26	17.2
2020-10-27	22.81
2020-10-28	31.57
2020-10-29	12.1
2020-10-30	14.67



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-10-31	29.4
2020-11-01	24.37
2020-11-02	17.79
2020-11-03	14.4
2020-11-04	18.26
2020-11-05	17.08
2020-11-06	9.99
2020-11-07	14.61
2020-11-08	26.58
2020-11-09	31.47
2020-11-10	24.96
2020-11-11	25.47
2020-11-12	27.68
2020-11-13	30.34
2020-11-14	29.48
2020-11-15	30.35
2020-11-16	19.66
2020-11-17	24.46
2020-11-18	26.78
2020-11-19	14.86
2020-11-20	15.38
2020-11-21	32.57
2020-11-22	16.84
2020-11-23	17.61
2020-11-24	14.63
2020-11-25	44.51
2020-11-26	41.07
2020-11-27	31.4
2020-11-28	22.67
2020-11-29	31.76
2020-11-30	40.74

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-12-01	38.51
2020-12-02	46.22
2020-12-03	32.55
2020-12-04	28.64
2020-12-05	24.82
2020-12-06	16.3
2020-12-07	18.48
2020-12-08	24.91
2020-12-09	29.45
2020-12-10	30.99
2020-12-11	31
2020-12-12	18.79
2020-12-13	20.47
2020-12-14	19.36
2020-12-15	36.29
2020-12-16	33.54
2020-12-17	43.29
2020-12-18	31.77
2020-12-19	34.46
2020-12-20	32.59
2020-12-21	33.67
2020-12-22	21.99
2020-12-23	26.38
2020-12-24	10.74
2020-12-25	9.22
2020-12-26	15.61
2020-12-27	28.65
2020-12-28	14.88
2020-12-29	5.99
2020-12-30	31.28
2020-12-31	27.76

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-01-01	26.51
2021-01-02	90.14
2021-01-03	67.61
2021-01-04	47.36
2021-01-05	20.99
2021-01-06	26.05
2021-01-07	25
2021-01-08	38.34
2021-01-09	32.78
2021-01-10	28.47
2021-01-11	31.5
2021-01-12	33.3
2021-01-13	18.89
2021-01-14	33.32
2021-01-15	25.73
2021-01-16	27.05
2021-01-17	52.89
2021-01-18	90.33
2021-01-19	52.4
2021-01-20	23.26
2021-01-21	22.3
2021-01-22	12.2
2021-01-23	29.39
2021-01-24	24.02
2021-01-25	26.05
2021-01-26	21.44
2021-01-27	24.37
2021-01-28	24.54
2021-01-29	52.95
2021-01-30	45.37
2021-01-31	56.94

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-02-01	75.73
2021-02-02	39.37
2021-02-03	20.5
2021-02-04	17.38
2021-02-05	36.89
2021-02-06	46.41
2021-02-07	30.59
2021-02-08	32.4
2021-02-09	55.48
2021-02-10	81.14
2021-02-11	46.56
2021-02-12	33.09
2021-02-13	26.26
2021-02-14	29.56
2021-02-15	46.05
2021-02-16	44.54
2021-02-17	63.79
2021-02-18	56.97
2021-02-19	41.72
2021-02-20	53.09
2021-02-21	30.92
2021-02-22	47.8
2021-02-23	38.67
2021-02-24	29.45
2021-02-25	26.77
2021-02-26	19.23
2021-02-27	11.3
2021-02-28	20.59
2021-03-01	22.48
2021-03-02	30.99
2021-03-03	54.46

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-03-04	35.71
2021-03-05	24.67
2021-03-06	19.38
2021-03-07	15.61
2021-03-08	20.45
2021-03-09	44.75
2021-03-10	55.98
2021-03-11	34.43
2021-03-12	16.64
2021-03-13	13.4
2021-03-14	5.78
2021-03-15	27.35
2021-03-16	34.22
2021-03-17	23.54
2021-03-18	28.41
2021-03-19	23.31
2021-03-20	20.47
2021-03-21	24.25
2021-03-22	17.1
2021-03-23	21.67
2021-03-24	30.58
2021-03-25	52.6
2021-03-26	47.63
2021-03-27	21.56
2021-03-28	11.7
2021-03-29	17.67
2021-03-30	25.26

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-09-30	11.5
2021-10-01	13.44
2021-10-02	12.84
2021-10-03	12.31
2021-10-04	15.66
2021-10-05	12.63
2021-10-06	11.45
2021-10-07	12.59
2021-10-08	19.66
2021-10-09	33.48
2021-10-10	33.43
2021-10-11	29.84
2021-10-12	12.37
2021-10-13	14.08
2021-10-14	13.04
2021-10-15	9.08
2021-10-16	11.18
2021-10-17	16.29
2021-10-18	10.67
2021-10-19	18.21
2021-10-20	7.76
2021-10-21	6.36
2021-10-22	1.94
2021-10-23	5.72
2021-10-24	20.49
2021-10-25	24.76
2021-10-26	21.79
2021-10-27	19.99
2021-10-28	33.08
2021-10-29	41.54
2021-10-30	22.72



Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-10-31	27.69
2021-11-01	27.15
2021-11-02	32.99
2021-11-03	12.31
2021-11-04	6.02
2021-11-05	6.43
2021-11-06	10.7
2021-11-07	13.3
2021-11-08	8.41
2021-11-09	25.57
2021-11-10	27.31
2021-11-11	30.26
2021-11-12	27.5
2021-11-13	45.46
2021-11-14	30.97
2021-11-15	31.28
2021-11-16	49.62
2021-11-17	36.2
2021-11-18	12.63
2021-11-19	6.98
2021-11-20	4.75
2021-11-21	17.24
2021-11-22	29.31
2021-11-23	18.44
2021-11-24	22.24
2021-11-25	54.92
2021-11-26	70.43
2021-11-27	32.56
2021-11-28	69.18
2021-11-29	22.68
2021-11-30	8.48

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-12-01	11.35
2021-12-02	17
2021-12-03	15.24
2021-12-04	42.73
2021-12-05	79.28
2021-12-06	65.62
2021-12-07	62.63
2021-12-08	57.09
2021-12-09	44.03
2021-12-10	41
2021-12-12	90.65
2021-12-13	58.42
2021-12-14	86.91
2021-12-15	37.8
2021-12-16	12.18
2021-12-17	6.84
2021-12-18	14.53
2021-12-19	5.25
2021-12-20	9.96
2021-12-21	20.34
2021-12-22	39.63
2021-12-23	37.23
2021-12-24	14.92
2021-12-25	23.64
2021-12-26	63.39
2021-12-27	93
2021-12-28	24.81
2021-12-29	35.6
2021-12-30	23.08
2021-12-31	3.02
2022-01-01	7.19

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2022-01-02	9.11
2022-01-03	5.18
2022-01-04	7.52
2022-01-05	6.23
2022-01-06	7.36
2022-01-07	24.06
2022-01-08	32.56
2022-01-09	66.93
2022-01-10	48.51
2022-01-11	47.22
2022-01-12	30.68
2022-01-13	16.09
2022-01-14	7.47
2022-01-15	20.56
2022-01-16	26.29
2022-01-17	7.19
2022-01-18	12.81
2022-01-19	18.36
2022-01-20	9.9
2022-01-21	9.52
2022-01-22	12.29
2022-01-23	48.63
2022-01-24	49.81

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



www.syngeos.pl

info@syngeos.pl


Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-09-30	15.43
2020-10-01	30.08
2020-10-02	14.17
2020-10-03	12.95
2020-10-04	7.47
2020-10-05	7.76
2020-10-06	12.47
2020-10-07	23.78
2020-10-08	30.52
2020-10-09	24.44
2020-10-10	23.78
2020-10-11	23.61
2020-10-12	15.33
2020-10-13	7.59
2020-10-14	15.61
2020-10-15	27.56
2020-10-16	45.51
2020-10-17	19.36
2020-10-18	15.31
2020-10-19	18.91
2020-10-20	34.38
2020-10-21	27.17
2020-10-22	31.21
2020-10-23	41.98
2020-10-24	39.44
2020-10-25	35.28
2020-10-26	28.68
2020-10-27	38
2020-10-28	52.61
2020-10-29	20.19
2020-10-30	24.45



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-10-31	49.01
2020-11-01	40.64
2020-11-02	29.62
2020-11-03	23.94
2020-11-04	30.43
2020-11-05	28.47
2020-11-06	16.67
2020-11-07	24.36
2020-11-08	44.28
2020-11-09	52.46
2020-11-10	41.57
2020-11-11	42.44
2020-11-12	46.17
2020-11-13	50.52
2020-11-14	49.12
2020-11-15	50.59
2020-11-16	32.79
2020-11-17	40.82
2020-11-18	44.6
2020-11-19	24.79
2020-11-20	25.66
2020-11-21	54.29
2020-11-22	28.07
2020-11-23	29.36
2020-11-24	24.39
2020-11-25	74.14
2020-11-26	68.4
2020-11-27	52.39
2020-11-28	37.78
2020-11-29	52.95
2020-11-30	67.87

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-12-01	64.17
2020-12-02	77.04
2020-12-03	54.28
2020-12-04	47.73
2020-12-05	41.31
2020-12-06	27.15
2020-12-07	30.76
2020-12-08	41.5
2020-12-09	49.13
2020-12-10	51.63
2020-12-11	51.73
2020-12-12	31.33
2020-12-13	34.09
2020-12-14	32.28
2020-12-15	60.48
2020-12-16	55.96
2020-12-17	72.16
2020-12-18	52.96
2020-12-19	57.41
2020-12-20	54.29
2020-12-21	56.11
2020-12-22	36.65
2020-12-23	43.93
2020-12-24	17.89
2020-12-25	15.4
2020-12-26	26.01
2020-12-27	47.73
2020-12-28	24.81
2020-12-29	9.97
2020-12-30	52.16
2020-12-31	46.23

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-01-01	44.19
2021-01-02	150.2
2021-01-03	112.72
2021-01-04	78.93
2021-01-05	34.96
2021-01-06	43.42
2021-01-07	41.65
2021-01-08	63.92
2021-01-09	54.63
2021-01-10	47.46
2021-01-11	52.5
2021-01-12	55.5
2021-01-13	31.48
2021-01-14	55.54
2021-01-15	42.88
2021-01-16	45.09
2021-01-17	88.28
2021-01-18	143.57
2021-01-19	88.3
2021-01-20	40.22
2021-01-21	38.53
2021-01-22	21.14
2021-01-23	50.68
2021-01-24	41.7
2021-01-25	45.04
2021-01-26	37.35
2021-01-27	42.44
2021-01-28	42.42
2021-01-29	86.46
2021-01-30	76.18
2021-01-31	90.26

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-02-01	122.02
2021-02-02	67.47
2021-02-03	35.93
2021-02-04	30.38
2021-02-05	62.2
2021-02-06	79.43
2021-02-07	52.9
2021-02-08	55.65
2021-02-09	93.43
2021-02-10	133.03
2021-02-11	78.88
2021-02-12	57.4
2021-02-13	45.76
2021-02-14	51.04
2021-02-15	78.12
2021-02-16	76.07
2021-02-17	106.35
2021-02-18	96.3
2021-02-19	71.86
2021-02-20	88.26
2021-02-21	52.71
2021-02-22	79.67
2021-02-23	66.58
2021-02-24	50.51
2021-02-25	46.5
2021-02-26	33.76
2021-02-27	19.86
2021-02-28	36.06
2021-03-01	39.42
2021-03-02	53.04
2021-03-03	90.02

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-03-04	61.33
2021-03-05	42.72
2021-03-06	34.01
2021-03-07	27.68
2021-03-08	35.33
2021-03-09	73.39
2021-03-10	93.55
2021-03-11	58.82
2021-03-12	29.39
2021-03-13	23.31
2021-03-14	10.19
2021-03-15	47.04
2021-03-16	58.79
2021-03-17	41.02
2021-03-18	48.61
2021-03-19	40.63
2021-03-20	35.02
2021-03-21	42.12
2021-03-22	29.78
2021-03-23	38
2021-03-24	52.85
2021-03-25	88.08
2021-03-26	80.09
2021-03-27	37.48
2021-03-28	20.72
2021-03-29	30.91
2021-03-30	43.44

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-09-30	20.26
2021-10-01	23.76
2021-10-02	22.72
2021-10-03	21.8
2021-10-04	27.27
2021-10-05	22.29
2021-10-06	20.33
2021-10-07	22.11
2021-10-08	34.18
2021-10-09	56.66
2021-10-10	57.2
2021-10-11	51.36
2021-10-12	21.6
2021-10-13	24.7
2021-10-14	22.94
2021-10-15	16
2021-10-16	19.68
2021-10-17	28.66
2021-10-18	18.96
2021-10-19	31.66
2021-10-20	13.64
2021-10-21	11.14
2021-10-22	3.51
2021-10-23	10.11
2021-10-24	35.22
2021-10-25	42.79
2021-10-26	38.17
2021-10-27	34.81
2021-10-28	55.8
2021-10-29	70.27
2021-10-30	39.41



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-10-31	47.31
2021-11-01	47.33
2021-11-02	56.39
2021-11-03	21.81
2021-11-04	10.74
2021-11-05	11.51
2021-11-06	18.58
2021-11-07	23.3
2021-11-08	14.77
2021-11-09	43.88
2021-11-10	46.66
2021-11-11	51.75
2021-11-12	47.83
2021-11-13	76.05
2021-11-14	53.43
2021-11-15	53.62
2021-11-16	83.07
2021-11-17	62.35
2021-11-18	22.17
2021-11-19	11.5
2021-11-20	7.68
2021-11-21	23.68
2021-11-22	34.6
2021-11-23	24.96
2021-11-24	28.87
2021-11-25	57.19
2021-11-26	69.89
2021-11-27	36.49
2021-11-28	69.16
2021-11-29	30.12
2021-11-30	13.12

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-12-01	15.69
2021-12-02	23.31
2021-12-03	20.8
2021-12-04	44.86
2021-12-05	75.92
2021-12-06	67.35
2021-12-07	64.49
2021-12-08	60.17
2021-12-09	50.7
2021-12-10	52.98
2021-12-12	83.87
2021-12-13	61.65
2021-12-14	79.8
2021-12-15	47.7
2021-12-16	21.42
2021-12-17	12.24
2021-12-18	25.18
2021-12-19	9.29
2021-12-20	17.72
2021-12-21	35.21
2021-12-22	65.55
2021-12-23	63.45
2021-12-24	26.07
2021-12-25	40.39
2021-12-26	99.48
2021-12-27	144.46
2021-12-28	42.63
2021-12-29	60.58
2021-12-30	39.53
2021-12-31	5.34
2022-01-01	12.8

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Szydłowiec, Folwarczna 4

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2022-01-02	16.22
2022-01-03	9.17
2022-01-04	13.22
2022-01-05	11.06
2022-01-06	12.92
2022-01-07	41.11
2022-01-08	55.67
2022-01-09	108.73
2022-01-10	80.8
2022-01-11	79.21
2022-01-12	52.72
2022-01-13	28.23
2022-01-14	13.22
2022-01-15	35.1
2022-01-16	44.74
2022-01-17	12.75
2022-01-18	22.47
2022-01-19	32.26
2022-01-20	17.43
2022-01-21	16.7
2022-01-22	21.59
2022-01-23	77.67
2022-01-24	82.68

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



www.syngeos.pl

info@syngeos.pl