


# Raport średnio-dobowy

Urządzenie:

Wysoka PSP, Wysoka 40 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-09-30	9.98
2020-10-01	20.29
2020-10-02	9.67
2020-10-03	9.89
2020-10-04	6.39
2020-10-05	5.91
2020-10-06	8.21
2020-10-07	13.22
2020-10-08	17.51
2020-10-09	15.01
2020-10-10	14.87
2020-10-11	11.21
2020-10-12	9.24
2020-10-13	5.04
2020-10-14	6.72
2020-10-15	14.73
2020-10-16	24.11
2020-10-17	8.83
2020-10-18	9.27
2020-10-19	8.76
2020-10-20	19.71
2020-10-21	16.47
2020-10-22	16.25
2020-10-23	24.11
2020-10-24	23.41
2020-10-25	24.89
2020-10-26	17.81
2020-10-27	24.38
2020-10-28	28.61
2020-10-29	10.04
2020-10-30	6.83



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-11-02	21.33
2020-11-04	17
2020-11-05	13.62
2020-11-06	12.79
2020-11-07	16.07
2020-11-08	26.44
2020-11-09	22.12
2020-11-10	19.71
2020-11-11	23.03
2020-11-12	25.99
2020-11-13	34.89
2020-11-14	30.95
2020-11-15	30.96
2020-11-16	22.13
2020-11-17	21.79
2020-11-18	25.89
2020-11-19	18.71
2020-11-20	11.79
2020-11-21	26.46
2020-11-22	10.14
2020-11-23	12.82
2020-11-24	8.82
2020-11-25	31.63
2020-11-26	39.87
2020-11-27	31.82
2020-11-28	18.84
2020-11-29	17.42
2020-11-30	34.24
2020-12-01	35.5
2020-12-02	28.46
2020-12-03	28.27

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-12-04	26.6
2020-12-05	22.39
2020-12-06	17.18
2020-12-07	13.52
2020-12-08	17.62
2020-12-09	24.5
2020-12-10	24.17
2020-12-11	28.4
2020-12-12	16.77
2020-12-13	17.14
2020-12-14	19.84
2020-12-15	32.34
2020-12-16	29.98
2020-12-17	40.66
2020-12-18	32.69
2020-12-19	34.8
2020-12-20	32.71
2020-12-21	34.35
2020-12-22	26.27
2020-12-23	20.19
2020-12-24	9.27
2020-12-25	5.3
2020-12-26	11.41
2020-12-27	22.62
2020-12-28	11.77
2020-12-29	6.14
2020-12-30	19.05
2020-12-31	22.55
2021-01-01	27.12
2021-01-02	52.3
2021-01-03	42.75

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-01-04	36.28
2021-01-05	11.91
2021-01-06	14.32
2021-01-07	16.19
2021-01-08	32.01
2021-01-09	29.29
2021-01-10	19.22
2021-01-11	29.62
2021-01-12	30.69
2021-01-13	18.74
2021-01-14	26.25
2021-01-15	17.7
2021-01-16	22.28
2021-01-17	39.05
2021-01-18	65.72
2021-01-19	59.97
2021-01-20	24.81
2021-01-21	28.18
2021-01-22	14.45
2021-01-23	22.26
2021-01-24	23.72
2021-01-25	23.53
2021-01-26	21.26
2021-01-27	21.29
2021-01-28	25.49
2021-01-29	34.18
2021-01-30	42.65
2021-01-31	30.17
2021-02-01	54.64
2021-02-02	41.91
2021-02-03	27.37

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-02-04	13.37
2021-02-05	20.37
2021-02-06	28.13
2021-02-07	14.46
2021-02-08	14.35
2021-02-09	39.09
2021-02-10	60.3
2021-02-11	37.43
2021-02-12	22.51
2021-02-13	20.5
2021-02-14	22.86
2021-02-15	39.93
2021-02-16	46.45
2021-02-17	54.16
2021-02-18	48.25
2021-02-19	42.33
2021-02-20	45.23
2021-02-21	36.5
2021-02-22	50.27
2021-02-23	40.68
2021-02-24	30.33
2021-02-25	25.85
2021-02-26	18.14
2021-02-27	7.76
2021-02-28	19.99
2021-03-01	21.98
2021-03-02	28.07
2021-03-03	44.47
2021-03-04	28.53
2021-03-05	10.68
2021-03-06	12.83

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-03-07	9
2021-03-08	8.36
2021-03-09	21.88
2021-03-10	38.88
2021-03-11	29.68
2021-03-12	15.57
2021-03-13	10.6
2021-03-14	3.59
2021-03-15	22.26
2021-03-16	55.37
2021-03-17	21.05
2021-03-18	23.57
2021-03-19	17.28
2021-03-20	13.76
2021-03-21	21.23
2021-03-22	11.27
2021-03-23	13.86
2021-03-24	23.68
2021-03-25	40.91
2021-03-26	47.37
2021-03-27	20.52
2021-03-28	9.78
2021-03-29	14.62
2021-03-30	23.14

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



[www.syngeos.pl](http://www.syngeos.pl)

[info@syngeos.pl](mailto:info@syngeos.pl)


# Raport średnio-dobowy

Urządzenie:

Wysoka PSP, Wysoka 40 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-09-30	20.67
2021-10-01	15.95
2021-10-02	16.25
2021-10-03	14.48
2021-10-04	17.05
2021-10-05	13.15
2021-10-06	9.64
2021-10-07	8.94
2021-10-08	14.71
2021-10-09	26.68
2021-10-10	26.74
2021-10-11	27.39
2021-10-12	13.23
2021-10-13	10.05
2021-10-14	10.35
2021-10-15	7.79
2021-10-16	6.77
2021-10-17	10.25
2021-10-18	11.64
2021-10-19	13.14
2021-10-20	6.01
2021-10-21	7.68
2021-10-22	1.12
2021-10-23	3.37
2021-10-24	18.55
2021-10-25	25.76
2021-10-26	18.08
2021-10-27	17.71
2021-10-28	35.01
2021-10-29	32.8
2021-10-30	18.25



# Raport średnio-dobowy

Urządzenie:

Wysoka PSP, Wysoka 40 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-10-31	20.96
2021-11-01	24.55
2021-11-02	33.84
2021-11-03	11.68
2021-11-04	5.88
2021-11-05	4.09
2021-11-06	9.39
2021-11-07	12.23
2021-11-08	6.5
2021-11-09	25.72
2021-11-10	35.83
2021-11-11	28.16
2021-11-12	31.86
2021-11-13	37.4
2021-11-14	26.56
2021-11-15	31.06
2021-11-16	45.99
2021-11-17	36.11
2021-11-18	11.6
2021-11-19	5.19
2021-11-20	4.48
2021-11-21	13.5
2021-11-22	19.43
2021-11-23	17.36
2021-11-24	20.06
2021-11-25	42.35
2021-11-26	56.99
2021-11-27	34.63
2021-11-28	64.22
2021-11-29	21.66
2021-11-30	8.1

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-12-01	15.72
2021-12-02	4.97
2021-12-03	7.63
2021-12-04	28.65
2021-12-05	53.66
2021-12-06	61.89
2021-12-07	40.63
2021-12-08	29.71
2021-12-09	29.71
2021-12-10	58
2021-12-11	68.98
2021-12-12	79.04
2021-12-13	42.01
2021-12-14	77.18
2021-12-15	36.27
2021-12-16	12.88
2021-12-17	5.22
2021-12-18	17.41
2021-12-19	5.56
2021-12-20	4.4
2021-12-21	12.39
2021-12-22	26.51
2021-12-23	35.74
2021-12-24	13.19
2021-12-25	13.54
2021-12-26	38.97
2021-12-27	58.05
2021-12-28	17.24
2021-12-29	34.48
2021-12-30	27.22
2021-12-31	2.98

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2022-01-01	4.59
2022-01-02	11.46
2022-01-03	4.4
2022-01-04	9.47
2022-01-05	7.1
2022-01-06	3.56
2022-01-07	16
2022-01-08	28.78
2022-01-09	42.12
2022-01-10	31.54
2022-01-11	40.06
2022-01-12	22.3
2022-01-13	16.29
2022-01-14	6.33
2022-01-15	16.32
2022-01-16	24.75
2022-01-17	5.9
2022-01-18	11.3
2022-01-19	18.46
2022-01-20	5.84
2022-01-21	4.25
2022-01-22	6.35
2022-01-23	29.65
2022-01-24	50.99

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



[www.syngeos.pl](http://www.syngeos.pl)

[info@syngeos.pl](mailto:info@syngeos.pl)


# Raport średnio-dobowy

Urządzenie:

Wysoka PSP, Wysoka 40 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-09-30	16.7
2020-10-01	33.78
2020-10-02	16.1
2020-10-03	16.51
2020-10-04	10.66
2020-10-05	9.83
2020-10-06	13.65
2020-10-07	21.9
2020-10-08	29.13
2020-10-09	25.03
2020-10-10	24.79
2020-10-11	18.7
2020-10-12	15.43
2020-10-13	8.4
2020-10-14	11.16
2020-10-15	24.51
2020-10-16	40.19
2020-10-17	14.72
2020-10-18	15.47
2020-10-19	14.61
2020-10-20	32.84
2020-10-21	27.42
2020-10-22	27.05
2020-10-23	40.21
2020-10-24	39
2020-10-25	41.53
2020-10-26	29.68
2020-10-27	40.51
2020-10-28	47.67
2020-10-29	16.63
2020-10-30	11.49



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-11-02	35.44
2020-11-04	28.32
2020-11-05	22.66
2020-11-06	21.32
2020-11-07	26.74
2020-11-08	44.02
2020-11-09	36.85
2020-11-10	32.87
2020-11-11	38.38
2020-11-12	43.35
2020-11-13	58.15
2020-11-14	51.59
2020-11-15	51.62
2020-11-16	36.92
2020-11-17	36.34
2020-11-18	43.18
2020-11-19	31.14
2020-11-20	19.63
2020-11-21	44.08
2020-11-22	16.94
2020-11-23	21.37
2020-11-24	14.68
2020-11-25	52.71
2020-11-26	66.46
2020-11-27	53.05
2020-11-28	31.4
2020-11-29	29.04
2020-11-30	57.06
2020-12-01	59.14
2020-12-02	47.43
2020-12-03	47.07

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-12-04	44.37
2020-12-05	37.32
2020-12-06	28.65
2020-12-07	22.57
2020-12-08	29.34
2020-12-09	40.85
2020-12-10	40.24
2020-12-11	47.38
2020-12-12	27.96
2020-12-13	28.58
2020-12-14	33.05
2020-12-15	53.93
2020-12-16	49.95
2020-12-17	67.8
2020-12-18	54.47
2020-12-19	57.99
2020-12-20	54.5
2020-12-21	57.27
2020-12-22	43.81
2020-12-23	33.66
2020-12-24	15.42
2020-12-25	8.85
2020-12-26	19.02
2020-12-27	37.72
2020-12-28	19.6
2020-12-29	10.23
2020-12-30	31.74
2020-12-31	37.62
2021-01-01	45.18
2021-01-02	87.13
2021-01-03	71.21

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-01-04	60.47
2021-01-05	19.84
2021-01-06	23.91
2021-01-07	26.97
2021-01-08	53.36
2021-01-09	48.73
2021-01-10	32.06
2021-01-11	49.37
2021-01-12	51.15
2021-01-13	31.24
2021-01-14	43.75
2021-01-15	29.5
2021-01-16	37.13
2021-01-17	65.5
2021-01-18	108.69
2021-01-19	100.9
2021-01-20	42.91
2021-01-21	48.19
2021-01-22	25.2
2021-01-23	38.94
2021-01-24	41.18
2021-01-25	40.64
2021-01-26	37.23
2021-01-27	37.21
2021-01-28	43.97
2021-01-29	58.46
2021-01-30	71.86
2021-01-31	51.47
2021-02-01	91.1
2021-02-02	71.75
2021-02-03	47.56

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-02-04	23.4
2021-02-05	35.49
2021-02-06	48.77
2021-02-07	25.55
2021-02-08	25.33
2021-02-09	67.01
2021-02-10	100.63
2021-02-11	64.18
2021-02-12	38.84
2021-02-13	35.58
2021-02-14	39.83
2021-02-15	67.08
2021-02-16	78.62
2021-02-17	91.48
2021-02-18	82.26
2021-02-19	72.32
2021-02-20	76.75
2021-02-21	62.54
2021-02-22	83.92
2021-02-23	69.44
2021-02-24	52.64
2021-02-25	44.73
2021-02-26	31.63
2021-02-27	13.86
2021-02-28	35.35
2021-03-01	38.45
2021-03-02	48.7
2021-03-03	75.91
2021-03-04	49.7
2021-03-05	18.86
2021-03-06	22.62

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

Wysoka PSP, Wysoka 40 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-03-07	15.92
2021-03-08	14.8
2021-03-09	37.87
2021-03-10	66.05
2021-03-11	51.47
2021-03-12	27.19
2021-03-13	18.71
2021-03-14	6.44
2021-03-15	38.08
2021-03-16	89.94
2021-03-17	36.86
2021-03-18	40.47
2021-03-19	30.13
2021-03-20	24.12
2021-03-21	37.06
2021-03-22	20.04
2021-03-23	24.52
2021-03-24	40.97
2021-03-25	70.2
2021-03-26	80.25
2021-03-27	35.57
2021-03-28	17.15
2021-03-29	25.97
2021-03-30	40.47

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



[www.syngeos.pl](http://www.syngeos.pl)

[info@syngeos.pl](mailto:info@syngeos.pl)




# Raport średnio-dobowy

Urządzenie:

Wysoka PSP, Wysoka 40 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-09-30	36.68
2021-10-01	28.04
2021-10-02	28.27
2021-10-03	25.48
2021-10-04	29.44
2021-10-05	23.04
2021-10-06	17.03
2021-10-07	15.88
2021-10-08	25.58
2021-10-09	46.5
2021-10-10	46.13
2021-10-11	47.38
2021-10-12	23.12
2021-10-13	17.9
2021-10-14	18.26
2021-10-15	13.88
2021-10-16	12.01
2021-10-17	18.05
2021-10-18	20.57
2021-10-19	23.05
2021-10-20	10.7
2021-10-21	13.73
2021-10-22	1.99
2021-10-23	5.92
2021-10-24	32.51
2021-10-25	44.79
2021-10-26	31.73
2021-10-27	30.85
2021-10-28	59.31
2021-10-29	56.6
2021-10-30	31.78



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-10-31	36.22
2021-11-01	42.08
2021-11-02	58.11
2021-11-03	20.59
2021-11-04	10.42
2021-11-05	7.28
2021-11-06	16.54
2021-11-07	21.75
2021-11-08	11.52
2021-11-09	43.49
2021-11-10	61.35
2021-11-11	48.85
2021-11-12	55.88
2021-11-13	64.15
2021-11-14	45.78
2021-11-15	53.44
2021-11-16	77.11
2021-11-17	62.81
2021-11-18	20.6
2021-11-19	8.99
2021-11-20	7.29
2021-11-21	19.56
2021-11-22	26.56
2021-11-23	23.51
2021-11-24	27.05
2021-11-25	48.76
2021-11-26	60.84
2021-11-27	39.05
2021-11-28	66.58
2021-11-29	28.88
2021-11-30	12.49

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-12-01	21.79
2021-12-02	8
2021-12-03	11.5
2021-12-04	34.07
2021-12-05	57.47
2021-12-06	64.16
2021-12-07	47.39
2021-12-08	37.67
2021-12-09	37.6
2021-12-10	66.27
2021-12-11	70.04
2021-12-12	76.32
2021-12-13	48.12
2021-12-14	75.46
2021-12-15	45.57
2021-12-16	22.49
2021-12-17	9.29
2021-12-18	30.49
2021-12-19	9.86
2021-12-20	7.76
2021-12-21	21.49
2021-12-22	45.75
2021-12-23	60.79
2021-12-24	22.88
2021-12-25	23.06
2021-12-26	63.72
2021-12-27	94.01
2021-12-28	30.16
2021-12-29	58.93
2021-12-30	46.73
2021-12-31	5.27

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

# Raport średnio-dobowy

Urządzenie:

**Wysoka PSP, Wysoka 40 gm. Szydłowiec**

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2022-01-01	8.08
2022-01-02	20.25
2022-01-03	7.85
2022-01-04	16.8
2022-01-05	12.52
2022-01-06	6.34
2022-01-07	27.86
2022-01-08	49.38
2022-01-09	70.97
2022-01-10	54.21
2022-01-11	67.87
2022-01-12	38.71
2022-01-13	28.27
2022-01-14	11.28
2022-01-15	27.99
2022-01-16	42.46
2022-01-17	10.38
2022-01-18	20.01
2022-01-19	31.71
2022-01-20	10.39
2022-01-21	7.56
2022-01-22	11.17
2022-01-23	48.04
2022-01-24	83.41

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



[www.syngeos.pl](http://www.syngeos.pl)

[info@syngeos.pl](mailto:info@syngeos.pl)