


Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-09-30	13.53
2020-10-01	12.66
2020-10-02	10.95
2020-10-03	10.3
2020-10-04	3.78
2020-10-05	3.9
2020-10-06	8.02
2020-10-07	6.43
2020-10-08	12.41
2020-10-09	15.03
2020-10-10	10.93
2020-10-11	9.49
2020-10-12	8.48
2020-10-13	3.23
2020-10-14	5.3
2020-10-15	13.99
2020-10-16	20.79
2020-10-17	8.25
2020-10-18	10.6
2020-10-19	8.58
2020-10-20	17.64
2020-10-21	13.55
2020-10-22	17.86
2020-10-23	26.86
2020-10-24	19.67
2020-10-25	20.21
2020-10-26	15.99
2020-10-27	18.35
2020-10-28	27.09
2020-10-29	14.57
2020-10-30	14.49



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-10-31	19.69
2020-11-01	17.7
2020-11-02	22.37
2020-11-03	14.8
2020-11-04	13.36
2020-11-05	15.85
2020-11-06	13.44
2020-11-07	16.17
2020-11-08	27.23
2020-11-09	27.52
2020-11-10	21.34
2020-11-11	22.11
2020-11-12	27.43
2020-11-13	29.55
2020-11-14	33.68
2020-11-15	26.3
2020-11-16	18.51
2020-11-17	25.86
2020-11-18	29.88
2020-11-19	16.47
2020-11-20	12.38
2020-11-21	24.61
2020-11-22	12.9
2020-11-23	15.49
2020-11-24	9.22
2020-11-25	33.54
2020-11-26	44.33
2020-11-27	33.26
2020-11-28	17.38
2020-11-29	13.86
2020-11-30	29.4

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2020-12-01	36.86
2020-12-02	29.74
2020-12-03	31.22
2020-12-04	21.21
2020-12-05	21.76
2020-12-06	21.3
2020-12-07	18.37
2020-12-08	22.37
2020-12-09	28.06
2020-12-10	27.45
2020-12-11	31.45
2020-12-12	20.08
2020-12-13	13.94
2020-12-14	20.4
2020-12-15	32.1
2020-12-16	30.49
2020-12-17	38.55
2020-12-18	31.43
2020-12-19	30.88
2020-12-20	31.12
2020-12-21	32.06
2020-12-22	23.19
2020-12-23	19.24
2020-12-24	11.76
2020-12-25	5.57
2020-12-26	10.94
2020-12-27	21.07
2020-12-28	10.61
2020-12-29	7.36
2020-12-30	15.93
2020-12-31	22.76

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-01-01	21.44
2021-01-02	40.41
2021-01-03	40.02
2021-01-04	37.02
2021-01-05	13.55
2021-01-06	25.05
2021-01-07	21.93
2021-01-08	30.14
2021-01-09	26.75
2021-01-10	14.32
2021-01-11	30.66
2021-01-12	31.85
2021-01-13	14.27
2021-01-14	22.43
2021-01-15	20.01
2021-01-16	18.83
2021-01-17	28.21
2021-01-18	43.8
2021-01-19	52.66
2021-01-20	24.86
2021-01-21	22.54
2021-01-22	10.29
2021-01-23	21.89
2021-01-24	19.63
2021-01-25	17.04
2021-01-26	19.95
2021-01-27	16.38
2021-01-28	23.77
2021-01-29	25.77
2021-01-30	29.84
2021-01-31	14.16

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-02-01	29.05
2021-02-02	39.96
2021-02-03	27.79
2021-02-04	15.25
2021-02-05	16.91
2021-02-06	24.74
2021-02-07	13.77
2021-02-08	17.88
2021-02-09	36.82
2021-02-10	59.67
2021-02-11	35.46
2021-02-12	11.96
2021-02-13	18.29
2021-02-14	26.72
2021-02-15	31.93
2021-02-16	37.83
2021-02-17	42.45
2021-02-18	49.96
2021-02-19	41.5
2021-02-20	36.87
2021-02-21	26.44
2021-02-22	25.53
2021-02-23	38.77
2021-02-24	26.7
2021-02-25	25.35
2021-02-26	18.94
2021-02-27	7.6
2021-02-28	21.33
2021-03-01	22.41
2021-03-02	26.77
2021-03-03	28.99

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-03-04	33.34
2021-03-05	10.72
2021-03-06	13.85
2021-03-07	12.75
2021-03-08	7.12
2021-03-09	17.96
2021-03-10	25.48
2021-03-11	28.93
2021-03-12	18.31
2021-03-13	11.49
2021-03-14	3.79
2021-03-15	14.05
2021-03-16	16.94
2021-03-17	17
2021-03-18	12
2021-03-19	9.1
2021-03-20	9.22
2021-03-21	24.62
2021-03-22	6.22
2021-03-23	13.06
2021-03-24	21.15
2021-03-25	34.8
2021-03-26	36.6
2021-03-27	20.08
2021-03-28	6.1
2021-03-29	17.3
2021-03-30	27.36

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-09-30	10.56
2021-10-01	9.74
2021-10-02	13.73
2021-10-03	13.03
2021-10-04	11.96
2021-10-05	14.2
2021-10-06	10.23
2021-10-07	11.43
2021-10-08	14.54
2021-10-09	17.19
2021-10-10	18.27
2021-10-11	16.77
2021-10-12	12.97
2021-10-13	12.8
2021-10-14	13.74
2021-10-15	10.49
2021-10-16	6.71
2021-10-17	12.65
2021-10-18	13.4
2021-10-19	15.22
2021-10-20	7.89
2021-10-21	7.23
2021-10-22	1.21
2021-10-23	4.06
2021-10-24	18.51
2021-10-25	12.78
2021-10-26	19.26
2021-10-27	21.73
2021-10-28	27.72
2021-10-29	19.8
2021-10-30	14.06



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-10-31	15.85
2021-11-01	18.61
2021-11-02	26.88
2021-11-03	14.15
2021-11-04	5.07
2021-11-05	4.27
2021-11-06	9.54
2021-11-07	15.42
2021-11-08	7.72
2021-11-09	18.03
2021-11-10	20.38
2021-11-11	27.18
2021-11-12	27.05
2021-11-13	33.98
2021-11-14	22.35
2021-11-15	35.23
2021-11-16	40.39
2021-11-17	31.04
2021-11-18	13.03
2021-11-19	6
2021-11-20	5.39
2021-11-21	15.83
2021-11-22	15.59
2021-11-23	17.36
2021-11-24	19.85
2021-11-25	46.62
2021-11-26	53.51
2021-11-27	26.95
2021-11-28	48.79
2021-11-29	22.9
2021-11-30	8.38

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2021-12-01	14.85
2021-12-02	4.12
2021-12-03	9.9
2021-12-04	23.14
2021-12-05	59.98
2021-12-06	51.99
2021-12-07	40.6
2021-12-08	40.84
2021-12-09	36.61
2021-12-10	48.34
2021-12-11	43.19
2021-12-12	61.23
2021-12-13	67.62
2021-12-14	44.77
2021-12-15	37.39
2021-12-16	12.3
2021-12-17	5.16
2021-12-18	15.2
2021-12-19	3.28
2021-12-20	3.98
2021-12-21	12.91
2021-12-22	18.74
2021-12-23	32.85
2021-12-24	14.03
2021-12-25	10.61
2021-12-26	20.93
2021-12-27	28.52
2021-12-28	19.65
2021-12-29	35.18
2021-12-30	31.09
2021-12-31	3.62

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej 2.5 mikrometrów

Data	Wartość
2022-01-01	3.94
2022-01-02	10.22
2022-01-03	4.63
2022-01-04	10.64
2022-01-05	7.14
2022-01-06	3.67
2022-01-07	16.71
2022-01-08	25.91
2022-01-09	37.85
2022-01-10	28.17
2022-01-11	35.62
2022-01-12	21.36
2022-01-13	15.36
2022-01-14	4.42
2022-01-15	11.19
2022-01-16	17.3
2022-01-17	4.28
2022-01-18	9.09
2022-01-19	17.9
2022-01-20	8.35
2022-01-21	5.13
2022-01-22	8.28
2022-01-23	15.97
2022-01-24	27.89

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



www.syngeos.pl

info@syngeos.pl


Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-09-30	22.59
2020-10-01	21.11
2020-10-02	18.3
2020-10-03	17.22
2020-10-04	6.27
2020-10-05	6.49
2020-10-06	13.41
2020-10-07	10.74
2020-10-08	20.73
2020-10-09	25.06
2020-10-10	18.22
2020-10-11	15.84
2020-10-12	14.1
2020-10-13	5.35
2020-10-14	8.86
2020-10-15	23.36
2020-10-16	34.63
2020-10-17	13.77
2020-10-18	17.71
2020-10-19	14.29
2020-10-20	29.36
2020-10-21	22.55
2020-10-22	29.72
2020-10-23	44.76
2020-10-24	32.78
2020-10-25	33.67
2020-10-26	26.64
2020-10-27	30.66
2020-10-28	45.13
2020-10-29	24.18
2020-10-30	24.12



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-10-31	32.85
2020-11-01	29.5
2020-11-02	37.27
2020-11-03	24.69
2020-11-04	22.31
2020-11-05	26.45
2020-11-06	22.42
2020-11-07	26.94
2020-11-08	45.39
2020-11-09	45.83
2020-11-10	35.55
2020-11-11	36.85
2020-11-12	45.71
2020-11-13	49.3
2020-11-14	56.1
2020-11-15	43.81
2020-11-16	30.82
2020-11-17	43.11
2020-11-18	49.79
2020-11-19	27.49
2020-11-20	20.62
2020-11-21	41.05
2020-11-22	21.5
2020-11-23	25.78
2020-11-24	15.4
2020-11-25	55.93
2020-11-26	73.91
2020-11-27	55.42
2020-11-28	29
2020-11-29	23.09
2020-11-30	48.98

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2020-12-01	61.46
2020-12-02	49.55
2020-12-03	52.02
2020-12-04	35.33
2020-12-05	36.29
2020-12-06	35.5
2020-12-07	30.62
2020-12-08	37.27
2020-12-09	46.8
2020-12-10	45.71
2020-12-11	52.38
2020-12-12	33.47
2020-12-13	23.21
2020-12-14	33.88
2020-12-15	53.51
2020-12-16	50.81
2020-12-17	64.25
2020-12-18	52.34
2020-12-19	51.45
2020-12-20	51.86
2020-12-21	53.44
2020-12-22	38.64
2020-12-23	32.07
2020-12-24	19.57
2020-12-25	9.26
2020-12-26	18.23
2020-12-27	35.04
2020-12-28	17.68
2020-12-29	12.32
2020-12-30	26.56
2020-12-31	37.99

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-01-01	35.73
2021-01-02	67.36
2021-01-03	66.71
2021-01-04	61.7
2021-01-05	22.64
2021-01-06	41.71
2021-01-07	36.54
2021-01-08	50.24
2021-01-09	44.57
2021-01-10	23.87
2021-01-11	51.1
2021-01-12	53.08
2021-01-13	23.78
2021-01-14	37.38
2021-01-15	33.35
2021-01-16	31.38
2021-01-17	47.54
2021-01-18	74.66
2021-01-19	89.12
2021-01-20	42.86
2021-01-21	39.18
2021-01-22	18.28
2021-01-23	38.32
2021-01-24	34.04
2021-01-25	29.87
2021-01-26	34.75
2021-01-27	28.99
2021-01-28	41.3
2021-01-29	44.08
2021-01-30	51.68
2021-01-31	24.69

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-02-01	50.31
2021-02-02	68.14
2021-02-03	48.33
2021-02-04	26.77
2021-02-05	29.23
2021-02-06	43.35
2021-02-07	24.18
2021-02-08	31.18
2021-02-09	63.27
2021-02-10	100.65
2021-02-11	60.86
2021-02-12	21.14
2021-02-13	32.07
2021-02-14	46.64
2021-02-15	55.16
2021-02-16	64.67
2021-02-17	73.07
2021-02-18	84.86
2021-02-19	71.59
2021-02-20	62.62
2021-02-21	46.09
2021-02-22	43.75
2021-02-23	66.91
2021-02-24	45.94
2021-02-25	44.04
2021-02-26	33
2021-02-27	13.5
2021-02-28	37.32
2021-03-01	39.33
2021-03-02	46.37
2021-03-03	49.88

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-03-04	57.52
2021-03-05	19.05
2021-03-06	24.24
2021-03-07	22.55
2021-03-08	12.52
2021-03-09	31.07
2021-03-10	44.32
2021-03-11	50.24
2021-03-12	31.87
2021-03-13	20.09
2021-03-14	6.71
2021-03-15	24.71
2021-03-16	29.78
2021-03-17	29.95
2021-03-18	20.99
2021-03-19	16.04
2021-03-20	16.45
2021-03-21	42.88
2021-03-22	11.15
2021-03-23	23.24
2021-03-24	36.97
2021-03-25	59.66
2021-03-26	62.8
2021-03-27	35.01
2021-03-28	10.85
2021-03-29	30.26
2021-03-30	47.82

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły


Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-09-30	18.58
2021-10-01	17.25
2021-10-02	24.22
2021-10-03	23.16
2021-10-04	21
2021-10-05	25.24
2021-10-06	18.22
2021-10-07	20.1
2021-10-08	25.62
2021-10-09	29.97
2021-10-10	32.08
2021-10-11	29.43
2021-10-12	22.53
2021-10-13	22.73
2021-10-14	24.36
2021-10-15	18.41
2021-10-16	11.88
2021-10-17	22.14
2021-10-18	23.66
2021-10-19	26.5
2021-10-20	13.89
2021-10-21	12.88
2021-10-22	2.15
2021-10-23	7.26
2021-10-24	32.21
2021-10-25	22.57
2021-10-26	33.62
2021-10-27	38.04
2021-10-28	47.97
2021-10-29	34.7
2021-10-30	24.97



Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-10-31	27.79
2021-11-01	32.66
2021-11-02	46.66
2021-11-03	24.75
2021-11-04	9.08
2021-11-05	7.62
2021-11-06	16.91
2021-11-07	27.1
2021-11-08	13.79
2021-11-09	31.4
2021-11-10	35.17
2021-11-11	47.2
2021-11-12	46.67
2021-11-13	59.1
2021-11-14	38.9
2021-11-15	60.75
2021-11-16	68.73
2021-11-17	53.15
2021-11-18	22.72
2021-11-19	10.3
2021-11-20	8.69
2021-11-21	22.31
2021-11-22	21.99
2021-11-23	23.67
2021-11-24	26.44
2021-11-25	52.11
2021-11-26	58.19
2021-11-27	32.83
2021-11-28	54.79
2021-11-29	30.06
2021-11-30	12.88

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszone o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2021-12-01	21.09
2021-12-02	6.68
2021-12-03	14.04
2021-12-04	29.38
2021-12-05	61.75
2021-12-06	56.16
2021-12-07	47.88
2021-12-08	47.58
2021-12-09	44.49
2021-12-10	51.3
2021-12-11	48.45
2021-12-12	64.17
2021-12-13	65.21
2021-12-14	49.7
2021-12-15	46.24
2021-12-16	21.58
2021-12-17	9.19
2021-12-18	26.21
2021-12-19	5.88
2021-12-20	7.1
2021-12-21	22.46
2021-12-22	32.47
2021-12-23	56.6
2021-12-24	24.59
2021-12-25	18.57
2021-12-26	35.7
2021-12-27	49.25
2021-12-28	33.78
2021-12-29	60.47
2021-12-30	53.01
2021-12-31	6.35

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły

Raport średnio-dobowy

Urządzenie:

Majdów PSP, Majdów 30 gm. Szydłowiec

Pyły zawieszane o średnicy mniejszej niż 10 mikrometrów

Data	Wartość
2022-01-01	6.99
2022-01-02	18.1
2022-01-03	8.22
2022-01-04	18.85
2022-01-05	12.64
2022-01-06	6.54
2022-01-07	28.81
2022-01-08	44.38
2022-01-09	63.82
2022-01-10	48.35
2022-01-11	60.5
2022-01-12	36.98
2022-01-13	26.69
2022-01-14	8.02
2022-01-15	20.46
2022-01-16	30.39
2022-01-17	7.91
2022-01-18	15.94
2022-01-19	32
2022-01-20	14.64
2022-01-21	9.05
2022-01-22	14.61
2022-01-23	27.81
2022-01-24	47.28

Bardzo dobry

Dobry

Umiarkowany

Dostateczny

Zły

Bardzo zły



www.syngeos.pl

info@syngeos.pl